


VSTM...WD

VSTG...WD



A


Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel , zinc plated 碳钢, 镀锌		VSTM10WD	2.19.01.0001
1.4301 不锈钢, 304		VSTM10WD -SS	2.19.02.0001
1.4404 不锈钢, 316L		VSTM10WD -SU	2.19.03.0001

W.P. Bar 工作压力	Plug Type 型号(M)	Order Code 订货号	Plug Type 型号(G)	Order Code 订货号	M	G	D	L	i	S	Weight
											kg 重量
400	VSTM10WD	2.19.01.0001	VSTG1/8WD	2.19.01.0013	M10X1	G1/8"	14.0	12.3	8.0	5.0	0.008
	VSTM12WD	2.19.01.0002			M12X1.5		17.0	17.3	12.0	6.0	0.014
	VSTM14WD	2.19.01.0003	VSTG1/4WD	2.19.01.0014	M14X1.5	G1/4"	19.0	17.3	12.0	6.0	0.020
	VSTM16WD	2.19.01.0004	VSTG3/8WD	2.19.01.0015	M16X1.5	G3/8"	22.0	17.3	12.0	8.0	0.025
	VSTM18WD	2.19.01.0005			M18X1.5		24.0	17.3	12.0	8.0	0.032
400	VSTM20WD	2.19.01.0006			M20X1.5		26.0	19.3	14.0	10.0	0.042
	VSTM22WD	2.19.01.0007	VSTG1/2WD	2.19.01.0016	M22X1.5	G1/2"	27.0	19.3	14.0	10.0	0.051
	VSTM26WD	2.19.01.0008			M26X1.5		32.0	21.3	16.0	12.0	0.078
	VSTM27WD	2.19.01.0009	VSTG3/4WD	2.19.01.0017	M27X2	G3/4"	32.0	21.3	16.0	12.0	0.079
	VSTM33WD	2.19.01.0010	VSTG1WD	2.19.01.0018	M33X2	G1"	40.0	22.8	16.0	17.0	0.130
250	VSTM42WD	2.19.01.0011	VSTG1 1/4WD	2.19.01.0019	M42X2	G1 1/4"	50.0	22.8	16.0	22.0	0.198
	VSTM48WD	2.19.01.0012	VSTG1 1/2WD	2.19.01.0020	M48X2	G1 1/2"	55.0	22.8	16.0	24.0	0.263

MVK...

VK...

A




Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated 碳钢, 镀锌		MVK06L	2.19.01.0061
1.4301 不锈钢, 304		MVK06L-SS	2.19.02.0061
1.4404 不锈钢, 316L		MVK06L-SU	2.19.03.0061

Series 系列	W.P. Bar 工作压力	Plug Type 接头体	Order Code 订货号	Whole Type 含螺母型号	Order Code 订货号	M	d	L	O-Ring O型圈	Weight kg 重量
L	315	VK06L	2.19.01.0021	MVK06L	2.19.01.0061	M12X1.5	6.0	18.5	4.5X1.5	0.015
		VK08L	2.19.01.0022	MVK08L	2.19.01.0062	M14X1.5	8.0	18.5	6X1.5	0.024
		VK10L	2.19.01.0023	MVK10L	2.19.01.0063	M16X1.5	10.0	20.0	8X1.5	0.033
		VK12L	2.19.01.0024	MVK12L	2.19.01.0064	M18X1.5	12.0	20.5	10X1.5	0.046
		VK15L	2.19.01.0025	MVK15L	2.19.01.0065	M22X1.5	15.0	20.5	12X2	0.073
		VK18L	2.19.01.0026	MVK18L	2.19.01.0066	M26X1.5	18.0	22.5	15X2	0.111
	250	VK22L	2.19.01.0027	MVK22L	2.19.01.0067	M30X2	22.0	25.0	20X2	0.162
		VK28L	2.19.01.0028	MVK28L	2.19.01.0068	M36X2	28.0	25.5	26X2	0.220
		VK35L	2.19.01.0029	MVK35L	2.19.01.0069	M45X2	35.0	30.0	32X2.5	0.376
		VK42L	2.19.01.0030	MVK42L	2.19.01.0070	M52X2	42.0	30.0	38X2.5	0.558
S	630	VK06S	2.19.01.0031	MVK06S	2.19.01.0071	M14X1.5	6.0	18.5	4.5X1.5	0.023
		VK08S	2.19.01.0032	MVK08S	2.19.01.0072	M16X1.5	8.0	18.5	6X1.5	0.029
		VK10S	2.19.01.0033	MVK10S	2.19.01.0073	M18X1.5	10.0	20.0	8X1.5	0.046
		VK12S	2.19.01.0034	MVK12S	2.19.01.0074	M20X1.5	12.0	20.5	10X1.5	0.055
		VK14S	2.19.01.0035	MVK14S	2.19.01.0075	M22X1.5	14.0	22.5	11X2	0.083
		VK16S	2.19.01.0036	MVK16S	2.19.01.0076	M24X1.5	16.0	23.5	13X2	0.106
400	VK20S	2.19.01.0037	MVK20S	2.19.01.0077	M30X2	20.0	28.5	16X2.5	0.180	
	VK25S	2.19.01.0038	MVK25S	2.19.01.0078	M36X2	25.0	29.0	20X2.5	0.322	
	VK30S	2.19.01.0039	MVK30S	2.19.01.0079	M42X2	30.0	30.5	25X2.5	0.398	
315	VK38S	2.19.01.0040	MVK38S	2.19.01.0080	M52X2	38.0	33.0	33X2.5	0.647	

ROV...

A



Order Example 订货示例			
Material 材质		Example 示例	Order Code 订货号
Steel, zinc plated 碳钢, 镀锌		ROV06L	2.19.01.0041
1.4301 不锈钢, 304		ROV06L-SS	2.19.02.0041
1.4404 不锈钢, 316L		ROV06L-SU	2.19.03.0041

Series 系列	W.P. Bar 工作压力	Plug Type 接头体	Order Code 订货号	M	d	S	i	A	Weight kg 重量
L	315	ROV06L	2.19.01.0041	M12X1.5	6.0	12.0	10.0	14.0	0.008
		ROV08L	2.19.01.0042	M14X1.5	8.0	14.0	10.0	15.0	0.013
		ROV10L	2.19.01.0043	M16X1.5	10.0	17.0	11.0	16.0	0.017
		ROV12L	2.19.01.0044	M18X1.5	12.0	19.0	11.0	17.0	0.024
		ROV15L	2.19.01.0045	M22X1.5	15.0	24.0	12.0	18.0	0.041
		ROV18L	2.19.01.0046	M26X1.5	18.0	27.0	12.0	19.0	0.056
L	250	ROV22L	2.19.01.0047	M30X2	22.0	32.0	14.0	21.0	0.084
		ROV28L	2.19.01.0048	M36X2	28.0	41.0	14.0	22.0	0.138
		ROV35L	2.19.01.0049	M45X2	35.0	46.0	16.0	25.0	0.203
		ROV42L	2.19.01.0050	M52X2	42.0	55.0	16.0	27.0	0.318
S	630	ROV06S	2.19.01.0051	M14X1.5	6.0	14.0	12.0	18.0	0.017
		ROV08S	2.19.01.0052	M16X1.5	8.0	17.0	12.0	20.0	0.028
		ROV10S	2.19.01.0053	M18X1.5	10.0	19.0	12.0	20.0	0.033
		ROV12S	2.19.01.0054	M20X1.5	12.0	22.0	12.0	22.0	0.050
		ROV14S	2.19.01.0055	M22X1.5	14.0	24.0	14.0	24.0	0.062
		ROV16S	2.19.01.0056	M24X1.5	16.0	27.0	14.0	24.0	0.075
S	400	ROV20S	2.19.01.0057	M30X2	20.0	32.0	16.0	28.0	0.125
		ROV25S	2.19.01.0058	M36X2	25.0	41.0	18.0	32.0	0.229
		ROV30S	2.19.01.0059	M42X2	30.0	46.0	20.0	34.0	0.310
S	315	ROV38S	2.19.01.0060	M52X2	38.0	55.0	22.0	39.0	0.508